

NSE QUICK SLICE FRENCH FRY CUTTERS

- Short throw handle design for smooth cutting of potatoes into French fries
- * Extremely durable cast iron body with stainless steel components
- Fixed counter or wall mount; removable with wall bracket (sold separately)
- Accessories to modify cut sizes and styles sold separately

ITEM	DESCRIPTION	UOM	CASE
HFC-250	1/4" Cut French Fry Cutter	Set	1
HFC-375	3/8" Cut French Fry Cutter	Set	1
HFC-500	1/2" Cut French Fry Cutter	Set	1

FRENCH FRY CUTTER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
HFC-250R	1/4" Cut Replacement Blade	Set	48
HFC-375R	3/8" Cut Replacement Blade	Set	48
HFC-500R	1/2" Cut Replacement Blade	Set	48
HFC-250B	1/4" Cut Blade Assembly	Set	24
HFC-375B	3/8" Cut Blade Assembly	Set	24
HFC-500B	1/2" Cut Blade Assembly	Set	24
HFC-250K	Pusher Block for 1/4" and 1/2" Cut Blade	Each	24
HFC-375K	Pusher Block for 3/8" Cut Blade	Each	24
HFC-BK	Wall Bracket for HFC series	Each	12

KATTEX FRENCH FRY CUTTER



Can be mounted to wall or counter!



NSI TOMATO SLICERS

With one quick push, smoothly and swiftly slice tomatoes with the stainless steel Kattex tomato slicer.

- Aluminum frame with stainless steel replaceable blade
- Cuts 2 dozen tomatoes into 3/16" or 1/4" thick slices in 1 minute
- HDPE board ensures safe & durable food processing
- NSF listed

DESCRIPTION	UOM	CASE
3/16" Blade	Set	4
3/16" Serrated Blade	Set	4
1/4" Blade	Set	4
1/4" Serrated Blade	Set	4
	3/16" Blade 3/16" Serrated Blade 1/4" Blade	3/16" Blade Set 3/16" Serrated Blade Set 1/4" Blade Set

Replaces former TTS-2 and TTS-3


TOMATO SLICER ACCESSORIES

		0 0	
ITEM	DESCRIPTION	UOM	CASE
TTS-188-B	3/16" Straight Blade Assembly for TTS-2, TTS-3, TTS-188, and TTS-250	Set	12
TTS-188S-B	3/16" Serrated Blade Assembly for TTS-2, TTS-3, TTS-188, and TTS-250	Set	12
TTS-250-B	1/4" Straight Blade Assembly for TTS-2, TTS-3, TTS-188, and TTS-250	Set	12
TTS-250S-B	1/4" Serrated Blade Assembly for TTS-2, TTS-3, TTS-188, and TTS-250	Set	12

KATTEX TOMATO SLICERS

KATTEX





TTS-188S-B

KATTEX SLICERS





Save on time and labor with the Kattex Fruit & Vegetable Slicer by simply putting produce in a holder to turn out uniform slices in seconds.

- Aluminum construction with 9-1/4" stainless steel adjustable blade
- ◆ 1/16" to 1/2" slice thickness
- Mounts to countertops and other flat surfaces; can easily be removed for storage and cleaning
- Can accommodate fruits and vegetables with a maximum of 4" diameter and 5-1/2" in length

ITEM	DESCRIPTION	UOM	CASE	
FVS-1	21"L x 10-3/4"W x 16"H	Each	2	

FRUIT WEDGE SLICERS

Get quick and perfect wedges of fruits for salad buffets with just a push of a handle. Ideal for core-less fruits, such as citrus, tomatoes, and even potatoes.

- Aluminum construction with sharp stainless steel blades that minimizes squeezing and bruising
- Sturdy base with non-skid feet

ITEM	DESCRIPTION	UOM	CASE
FWS-6	6-Wedge	Each	4
FWS-8	8-Wedge	Each	4

FRUIT WEDGE SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
FWS-6BK	6-Section Wedger & Blade Replacement for FWS-series	Set	1
FWS-8BK	8-Section Wedger & Blade Replacement for FWS-series	Set	1





ONION SLICERS

Just one smooth stroke of the Kattex Onion Slicer will produce evenly sliced coins of fruits and vegetables for salads and cocktail drinks.

- Aluminum construction with stainless steel wire blades
- Unique lever-handle allows for quick and easy operation
- Sturdy base with non-skid feet
- Two blades included can be stacked to create a finer cut

ITEM	DESCRIPTION	UOM	CASE
OS-188	3/16" Blade Slicer	Each	2
OS-250	1/4" Blade Slicer	Each	2

ONION SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
OS-188B	3/16" Blade Set Assembly for OS-series (2 pieces)	Set	1
OS-250B	1/4" Blade Set Assembly for OS-series (2 pieces)	Set	1

Blade set assembly

and blade

KATTEX



OS-250



NSS CHOPPERS / DICERS

With the Kattex Chopper/Dicer, all it takes is just a single push of the handle and out come perfectly diced onions, tomatoes, potatoes, and even cucumbers.

- Cast aluminum construction with stainless steel blades
- Sturdy base with non-skid feet

ITEM	DESCRIPTION	UOM	CASE
HCD-250	1/4" Blade Dicer	Each	4
HCD-375	3/8" Blade Dicer	Each	4
HCD-500	1/2" Blade Dicer	Each	4

CHOPPER / DICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
HCD-250BK	1/4" Replacement Blade & Block for HCD-series	Each	1
HCD-375BK	3/8" Replacement Blade & Block for HCD-series	Each	1
HCD-500BK	1/2" Replacement Blade & Block for HCD-series	Each	1

KATTEX CHOPPER / DICER



and block



LETTUCE CUTTER

- Aluminum frame with easy grip handle and stainless steel blade with 49-square cuts
- ◆ Cuts lettuce into 1" x 1" slices in less than 1 minute
- Rubber feet prevents slipping and scratching on work surface

ITEM	DESCRIPTION	UOM	CASE
TLC-1	Lettuce Cutter	Each	2
TLC-1-B	Replacement Blade for TLC-1	Each	16

KATTEX LETTUCE CUTTER



COMMERCIAL MANUAL CAN OPENERS



PREMIUM MANUAL CAN OPENER

Our premium European-made heavy-duty nickelplated can opener is fitted with a removable clamp, making it ideal for on-the-go operations that require flexibility. The rust-resistant stainless steel blade and gear opens various can sizes up to #10.

 Includes base, blade, gear, and installation kit for mounting on wooden or stainless steel work tables

 ITEM	DESCRIPTION	UOM	CASE
CO-3	Premium Manual Can Opener, Nickel Plated Steel Base	Each	12
CO-3B	1-pc S/S Replacement Blade for CO-3	Each	1
CO-3G	1-pc S/S Replacement Gear Set for CO-3	Each	1

STANDARD #1 MANUAL CAN OPENER

The go-to industry standard steel body can opener, made for heavy usage kitchen environments that require processing of up to 50 cans a day. Opens various can sizes up to #10.

- Includes base, blade, gear, and installation kit for mounting on wooden or stainless steel work tables
- Winco's extra-durable blade and gears are interchangeable with most other can opener brands

 ITEM	DESCRIPTION	UOM	CASE
CO-1	Manual Can Opener, Cast Iron Body	Set	1
CO-1B	2-pc Replacement Blade Set for CO-1	Set	1
CO-1G	1-pc Replacement Gear Set for CO-1	Each	1

FRENCH FRY CUTTERS



FRENCH FRY CUTTERS

- Made of heavy-duty cast iron and fitted with sharp stainless steel blades for even slicing
- Ergonomic handles makes for easy operating and sturdy legs provide stability on flat countertop surfaces

ITEM	DESCRIPTION	UOM	CASE
FFCT-6	6 Wedge Cut	Each	1
FFCT-8	8 Wedge Cut	Each	1
FFC-250	1/4" Cut	Each	1
FFC-375	3/8" Cut	Each	1
FFC-500	1/2" Cut	Each	1

FRENCH FRY CUTTER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
FFCT-6B	Blade for FFCT-6	Each	6/24
FFCT-6K	Pusher Block for FFCT-6	Each	6/24
FFCT-8B	Blade for FFCT-8	Each	6/24
FFCT-8K	Pusher Block for FFCT-8	Each	6/24
FFC-250B	Blade Assembly for FFC-250	Each	24
FFC-250K	Pusher Block for FFC-250	Each	24
FFC-375B	Blade Assembly for FFC-375	Each	24
FFC-375K	Pusher Block for FFC-375	Each	24
FFC-500B	Blade Assembly for FFC-500	Each	24
FFC-500K	Pusher Block for FFC-500	Each	24
FFC-500P	Pusher Support for FFC-Series	Each	12

A

PREMIUM KITCHEN SCALES

- Heavy-duty stainless steel mechanical scale with 8" platform
- Shatter-proof lens protect dial
- Corrosion-resistant for durability

ITEM	DESCRIPTION	CAPACITY	GRADATIONS	UOM	CASE
SCLH-2	8" Dial	32 Oz	1/8 Oz / 10 g	Each	4
SCLH-50	8" Dial	50 Lb	1/8 Lb / 500 g	Each	4



RECEIVING SCALES

- Sturdy construction with large steel platforms
- 8" and 9" scales are calibrated with lbs as the base measurement

mode	aronnon				
ITEM	DESCRIPTION	CAPACITY	GRADATIONS	UOM	CASE
SCAL-62	6.5" Dial	2 Lb / 1 kg	1/4 Oz / 5 g	Each	8
SCAL-66	6.5" Dial	6 Lb / 3 kg	1/2 Oz / 10 g	Each	8
SCAL-810	8" Dial	10 Lb / 4.55 kg	1 Oz / 25 g	Each	6
SCAL-820	8" Dial	20 Lb / 9.09 kg	1 Oz / 50 g	Each	6
SCAL-840	8" Dial	40 Lb / 18.18 kg	2 Oz / 100 g	Each	6
SCAL-960	9" Dial	60 Lb / 27.27 kg	4 Oz / 100 g	Each	2
SCAL-9100	9" Dial	100 Lb / 45.45 kg	4 Oz / 100 g	Each	2
SCAL-9130	9" Dial	130 Lb / 59.09 kg	8 Oz / 200 g	Each	2

SCALES





SCAL-840



SUPER SIZE SALAD SPINNERS

- Constructed of FDA approved PP and ABS plastic, these spinners are equipped with side handles for safe transporting
- * Foldable solid handle and 6 non-skid feet
- 3 tiers with 2 removable tier dividers that allow for various capacity configurations
- Dry 6-8 heads of lettuce in one minute

ITEM	DESCRIPTION	UOM	CASE
PLSP-5G	5 Gallon, Green	Each	1
PLSP-5O	5 Gallon, Orange	Each	1





SUPER SIZE SALAD SPINNERS





PASTA MAKER

This pasta maker rolls out fresh sheets for building lasagnas and raviolis, strands of fettuccine, and ribbons of pappardelle, all at the desired thickness from 2mm to 6mm.

- Heavy weight chrome-plated stainless steel
- Clamps onto table or countertop for secure operation

ITEM	DESCRIPTION	UOM	CASE	
NPM-7	Roller Lenath 7"	Set	6	



MANDOLINE SLICERS



PREMIUM MANDOLINE SLICERS

- Rotary adjustment dial with 4 built-in blades for MDL-18
- ♦ 5 interchangable blades for MDL-15
- * Stainless steel body and handguard/food holder for each set

ITEM	DESCRIPTION	UOM	CASE
MDL-18	Mandoline Slicer Set, Built-in Blades	Set	8
MDL-15	Mandoline Slicer Set, Interchangable Blades	Set	8
MDL-BLD	Blade Set for MDL-15	Set	12/48
MDL-HD	Hand Guard for MDL-15	Each	12/36







MANDOLINE SLICER SET

- Built-in julienne blades and also includes a reversible slice and serrated blade
- Non-skid folding stand for compact storage
- Rotary adjustment dial
- Plastic body with rubberized non-slip grip handguard

ITEM	DESCRIPTION	UOM	CASE	
MDL-4P	Mandoline Slicer Set	Set	- 8	_



for MDL-4P







JAPANESE MANDOLINE SLICER SET

Slice vegetables and fruits effortlessly! The built in blade is adjustable to the desired thickness. Comes with fine, medium, and coarse attachment blades.

- Professional blades provide clean and sharp cut to vegetables
- Great for carrots, onions, cucumbers and more
- Hand guard included for safety

# ITEM	DESCRIPTION	UOM	CASE
MDL-5P	Japanese Mandoline Slicer Set	Set	36

FOOD CHOPPER



FCS-3

FOOD CHOPPER

- 18/8 stainless steel construction with plastic base
- Zigzag-shaped blade rotates to dice
- 0.5 mm blade thickness

ITEM	DESCRIPTION	UOM	CASE
FCS-3	3" Dia	Each	6/24



A great alternative to using a food processor, the Winco stainless steel food mills are ideal for straining and pureeing cooked fruits and vegetables without retaining seeds, skin, and fibers. Just turn the crank and the semi-circular blade over sweeps, compresses and scrapes the food.



LARGE-SIZE FOOD MILL

- Comes with 5 cutting plates allowing for a variety of textures
- The interchangeable cutting plates have perforations of either 1/16", 3/32" or 5/32" (1.5mm, 2.5mm or 4mm)
- Output is approximately 3 lbs. per minute and fits on any 7" or larger receptacle

ITEM	DESCRIPTION	SIZE	UOM	CASE
SVM-12	5 Qt	12-3/4" Dia	Set	4



FOOD MILLS



MEDIUM-SIZE STAINLESS STEEL FOOD MILLS

ITEM	DESCRIPTION	SIZE	UOM	CASE
SVM-8	2 Qt with 4 Graters	8" Dia	Set	8
SVM-9	2 Qt with 3 Graters	9" Dia	Set	6



APPLE PEELER

This apple peeler is about efficiency and volume. It quickly peels, slices, and core apples at the same time with the turn of its handle.

- Cast aluminum body with sharp stainless steel blade
- Vacuum base holds peeler securely to any smooth surface
- Also ideal for pears, onions, and potatoes

ITEM	DESCRIPTION	UOM	CASE
AP-12	10"L x 6"W x 4-1/4"H	Set	12



TURNING SLICER

- Have beautiful vegetable strands and curly ribbons in minutes with the simple turn of the handle
- Perfect for garnishing, cooking, and making salads and coleslaws
- Includes plastic turner, built-in straight blade, and 3 interchangeable julienne blades

ITEM	DESCRIPTION	UOM	CASE
VTS-3G	Turning Slicer	Each	12







MARBLE MORTAR AND PESTLE SET

ITEM	DESCRIPTION	UOM	CASE
MPS-42W	4 1/2" Dia Bowl	Set	12





STAINLESS STEEL MIXING BOWLS



MXHV-1600



MXBH-500



MXBT-1600Q



MXB-500Q



MXRU-SERIES



HEAVY-DUTY MIXING BOWLS

ITEM	DESCRIPTION	DIA & HEIGHT	UOM	CASE
MXHV-75	3/4 Qt	6-1/4" x 1-3/4"	Each	12/72
MXHV-150	1-1/2 Qt	7-3/4" x 2-1/4"	Each	12/36
MXHV-300	3 Qt	9-7/8" x 3"	Each	12/24
MXHV-400	4 Qt	10-5/8" x 3-1/4"	Each	12/24
MXHV-500	5 Qt	11-5/8" x 3-3/8"	Each	6/12
MXHV-800	8 Qt	13-3/4" x 5"	Each	6/12
MXHV-1300	13 Qt	16-1/4" x 4-1/2"	Each	12
MXHV-1600	16 Qt	17-3/4" x 5-1/2"	Each	12
MXHV-2000	20 Qt	18-3/4" x 5"	Each	12

DEEP MIXING BOWLS

2/72
2/48
2/24
2/24

ALL-PURPOSE MIXING BOWLS

True capacity for all-purpose kitchen prep work

ITEM	DESCRIPTION	DIA & HEIGHT	UOM	CASE
MXBT-75Q	3/4 Qt	6-3/8" x 2-3/8"	Each	12/144
MXBT-150Q	1-1/2 Qt	7-7/8" x 2-7/8"	Each	12/144
MXBT-300Q	3 Qt	10-1/4" x 3-5/8"	Each	12/72
MXBT-400Q	4 Qt	11" x 3-3/4"	Each	12/72
MXBT-500Q	5 Qt	11-7/8" x 4"	Each	12/72
MXBT-800Q	8 Qt	13-3/4" x 5	Each	12/36
MXBT-1300Q	13 Qt	16-3/8" x 5-7/8"	Each	12/24
MXBT-1600Q	16 Qt	17-7/8" x 6"	Each	12
MXBT-2000Q	20 Qt	19" x 6-5/8"	Each	12

ECONOMY MIXING BOWLS

ITEM	DESCRIPTION	DIA & HEIGHT	UOM	CASE
MXB-75Q	3/4 Qt	6-1/4" x 1-3/4	Each	12/144
MXB-150Q	1-1/2 Qt	7-3/4" x 2-1/2"	Each	12/144
MXB-300Q	3 Qt	9-1/2" x 3-1/2"	Each	12/72
MXB-400Q	4 Qt	10-5/8" x 3-1/2"	Each	12/72
MXB-500Q	5 Qt	11-1/2" x 3-1/2"	Each	12/72
MXB-800Q	8 Qt	13-1/4" x 4-1/8"	Each	12/36
MXB-1300Q	13 Qt	14-3/4" x 3-1/2"	Each	24
MXB-1600Q	16 Qt	17-3/4" x 5"	Each	12
MXB-2000Q	20 Qt	18-5/8" x 5-1/2"	Each	12
MXB-3000Q	30 Qt	22-1/2" x 7-1/2"	Each	12

SILICONE BASE MIXING BOWLS

 Non-skid silicone base helps to keep bowl in place during mixing and prepping

ITEM	DESCRIPTION	DIA & HEIGHT	UOM	CASE	
MXRU-150	1.5 Qt	6-3/4" x 3-3/4"	Each	48	
MXRU-300	3 Qt	8-1/2" x 4-3/8"	Each	24	
MXRU-500	5 Qt	10-1/4" x 5-5/8"	Each	24	
MXRU-800	8 Qt	11-3/4" x 6-1/2"	Fach	6/12	

STAINLESS STEEL MEASURING BOWLS

With interior graduations

ITEM	DESCRIPTION	UOM	CASE
SMB-4	4 Cups	Each	48
SMB-6	6 Cups	Each	24
SMB-10	10 Cups	Each	24

MIXING BOWL STAND

ITEM	DESCRIPTION	UOM	CASE
MXBS-30	Stand for MXB-3000Q	Set	1
MXBS-30-C	Caster for MXBS-30	Each	4/24



HEAVY-DUTY COLANDERS

- Use to wash or drain large fruits, vegetables, pastas, and meats
- Medium size holes allow water to flow freely
- Premium quality stainless steel, extra deep with a wide base
- Extra heavy-duty weight

ITEM	DESCRIPTION	DIA & DEPTH	UOM	CASE
SLO-11	11 Qt	15" x 7-1/2"	Each	1
SLO-16	16 Qt	16-1/2" x 7-1/2"	Each	1

COLANDERS



SLO-16

ALL-PURPOSE COLANDERS

◆ Stainless steel

ITEM	DESCRIPTION	DIAMETER	UOM	CASE
COD-3	3 Qt	10"	Each	12/48
COD-5	5 Qt	12"	Each	24
COD-8	8 Qt	14"	Each	12
COD-14	14 Qt	16.5"	Each	12



CHINESE STYLE COLANDERS

◆ Stainless steel

ITEM	DESCRIPTION	HOLE DIA	UOM	CASE
CCOD-11L	11" Dia	5 mm Holes	Each	24
CCOD-13L	13" Dia	5 mm Holes	Each	24
CCOD-15L	15" Dia	5 mm Holes	Each	12
CCOD-11S	11" Dia	2.5 mm Holes	Each	24
CCOD-13S	13" Dia	2.5 mm Holes	Each	24
CCOD-15S	15" Dia	2.5 mm Holes	Each	12



COLANDERS WITH BASE

Aluminum

ITEM	DESCRIPTION	DIA & DEPTH	UOM	CASE
ALO-8BH	8 Qt	12" x 5"	Each	6
ALO-11BH	11 Qt	15" x 5-3/4"	Each	6
ALO-16BH	16 Qt	16-1/2" x 7-1/8"	Each	2/4




CHINESE STYLE COLANDER

Aluminum

ITEM	DESCRIPTION	DIA & DEPTH	UOM	CASE
ALO-12	12 Qt	13-1/2" x 5-1/2"	Each	12
ALO-16	16 Qt	16" x 8"	Each	12







WINCO THERMOMETERS







POCKET TEST

- ◆ Has built-in clip for mounting
- Comes with protection sheath
- All thermometers can be calibrated

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	UOM	CASE
TMT-P1	NSE	0-220°F; -18-104°C	1" Dia	5"	HACCP	Each	12/72
TMT-P2	NSE.	-40-180°F; -40-80°C	1" Dia	5"	HACCP	Each	12/72
TMT-P3	NSE,	50-550°F; 10-288°C	1" Dia	5"	HACCP	Each	12/144

MEAT

- Hand held thermometer
- Optional versions of the thermometer have adjustable indicators

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL UON	CASE
TMT-MT2	NSF	130-190°F; 55-85°C	2" Dia	5"	HACCP Each	12/144
TMT-MT3	NSF.	130-190°F; 55-85°C	3" Dia	5"	HACCP Each	12/72

OVEN

Hanging hook and standing panel are built-in

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	GUIDELINE ON DIAL	UOM	CASE
TMT-OV2	NSF	40-500°F; 10-260°C	2" Dia	HACCP	Each	12/144
TMT-OV3	NSE	40-500°F; 10-260°C	3" Dia	HACCP	Each	12/144


FROTHING

♦ Has built-in pot clip TEMPERATURE RANGE PROBE LENGTH OC AVAILABLE NSF DIAL FACE SIZE UOM CASE ITEM TMT-FT1 0-220°F 1" Dia 5" Each 12/144 Optional (NSE)

INSTANT READ

♦ Has built-in pot clip on its protection sheath

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	UOM	CASE
TMT-IR1	NSE	0-220°F; -18-104°C	1-3/4" Dia	5"	HACCP	Each	12/72



TMT-RF2

TMT-RF3

TMT-RF4

ROAST / MEAT

•	Hand	hald	usaae
-	HUHU	HOIG	usuuc

TMT-CDF5

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	OTHER FEATURES	UOM	CASE
TMT-RM1		140-190°F; 60-88°C	2-3/4" x 2-1/8"	3-1/2"	Meat Cooking Temperature Guide		Each	12/144
TMT-DG6		-58-572°F; -50-300°C	1-7/8" Digital LCD	6"		Timer (included) Ilip down stand Programmable alert and temperatures Magnet included	Set	24/96

TMT-RF1

GRILL FACE

Has built-in pot clip

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	UOM	CASE
TMT-GS2	NSE.	150-700°F; 70-370°C	2" Dia	Each	3/144

CANDY / DEEP FRYER

Thermometers have built-in pot clips

All thermometers are in degrees Fahrenheit and Celsius

					0 0.0.00			
ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	OTHER FEATURES	UOM	CASE
TMT-CDF2	NSE	100-400°F; 40-200°C	2" Dia	5"	HACCP	Adjustable indicator	Each	12/144
TMT-CDF3	NSE	100-400°F; 40-200°C	2" Dia	12"	HACCP	Adjustable indicator	Each	12/144
TMT-CDF4		100-400°F; 40-200°C	2" x 11-3/4"	N/A	N/A	Top hanging	Each	12/72
TMT-CDF5		100-500°F; 40-260°C	3" Dia	12"	HACCP	Adjustable indicator	Each	6/36

REFRIGERATOR / FREEZER

♦ All thermometers are in degrees Fahrenheit and Celsius

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	GUIDELINE ON DIAL	MOUNTING	UOM	CASE
TMT-RF1	NSE	-26-86°F; -30-30°C	2-7/8" x 5/8"	N/A	Suction cup (included)	Pack	12/144
TMT-RF2	NSE	-20-70°F; -30-21°C	2" Dia	HACCP	Hanging hook & standing panel (built-in)	Each	12/72
TMT-RF3	NSE	-20-70°F; -30-21°C	3" Dia	HACCP	Hanging hook & standing panel (built-in)	Each	12/72
TMT-RF4	NSE	-20-80°F; -28-26°C	3-1/2" x1-1/8"	HACCP	Suction cup (included)	Each	12/72

WINCO THERMOMETERS







DIGITAL

- Has built-in clip for mounting
- Comes with protection sheath
- Excellent quick response times for fast temperature readings

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-DG1		-40-302°F; -40-150°C	1" LCD (Diagonal)	4-3/4"	Meat Cooking Temperature Guide		Each	12/144
TMT-DG2		-49-392°F; -45-200°C	1-3/16" LCD	4-3/4"	Meat Cooking Temperature Guide	Head swivels 180 degrees for easy reading	Each	12/72
TMT-DG4	NSF.	-40-450°F; -40-230°C	1-1/4" LCD	3-1/8"	HACCP	Hold function	Each	3/144
TMT-DG5		-49-392°F; -45-200°C	1-3/8" LCD with Back Light	2-7/8"	Meat Cooking Temperature Guide	Min & max feature to memorize extreme temp. in multiple tests Water resistant Hold function Hanging string	Each	12/72

WATERPROOF DIGITAL THERMOMETER

Compact pen-style thermometer provides fast temperature readings for liquids or solids

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-WD1		-58-392°F; -50-200°C	7/8" LCD	2-3/4"		 Hold function Includes protective sleeve Min & max feature 	Each	24/96

INFRARED THERMOMETER

◆ Simply point infrared light at surface for accurate temperature reading of all kinds of cooked or baked goods without the risk of cross-contamination.

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE SIZE	PROBE LENGTH	GUIDELINE ON DIAL	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-IF1		-26°F-608°F; -32°C-320°C	1" LCD with Back Light	N/A		Auto temp. hold 20 sec. auto power off Laser ON/OFF Distance spot ratio: 12:1	Each	12/48

ISS STAYGRIP CUTTING BOARDS



Say good bye to traditional plastic cutting boards! Winco's rubberized StayGrip corners prevent slipping and slidding even on wet countertops. The patented bult-in hanging hook is perfect for carrying and hygenic storage. Available in 3 popular sizes, HACCP color-coded, and dishwasher safe.

- Patented built-in hanging hook for hygienic storage
- Fully rubberized grip hook for easy carrying
- Stay-put corner grips keep cutting board from sliding
- Available in 3 popular sizes
- ◆ HACCP color-coding system eliminates crosscontamination
- Tough surface reduces knife dulling
- Durable co-polymer prevents warping
- Dishwasher safe
- ◆ NSF listed

	■ MOL HRIE	a			
ě	ITEM	DESCRIPTION	COLOR	UOM	CASE
-	CBN-1218BN	12" x 18" x 1/2"	Brown	Each	6
	CBN-1218BU	12" x 18" x 1/2"	Blue	Each	6
	CBN-1218GR	12" x 18" x 1/2"	Green	Each	6
	CBN-1218PP	12" x 18" x 1/2"	Purple	Each	6
	CBN-1218RD	12" x 18" x 1/2"	Red	Each	6
	CBN-1218WT	12" x 18" x 1/2"	White	Each	6
	CBN-1218YL	12" x 18" x 1/2"	Yellow	Each	6
	CBN-1520BN	15" x 20" x 1/2"	Brown	Each	6
	CBN-1520BU	15" x 20" x 1/2"	Blue	Each	6
	CBN-1520GR	15" x 20" x 1/2"	Green	Each	6
	CBN-1520PP	15" x 20" x 1/2"	Purple	Each	6
	CBN-1520RD	15" x 20" x 1/2"	Red	Each	6
	CBN-1520WT	15" x 20" x 1/2"	White	Each	6
	CBN-1520YL	15" x 20" x 1/2"	Yellow	Each	6
	CBN-1824BN	18" x 24" x 1/2"	Brown	Each	6
	CBN-1824BU	18" x 24" x 1/2"	Blue	Each	6
	CBN-1824GR	18" x 24" x 1/2"	Green	Each	6
	CBN-1824PP	18" x 24" x 1/2"	Purple	Each	6
	CBN-1824RD	18" x 24" x 1/2"	Red	Each	6
	CBN-1824WT	18" x 24" x 1/2"	White	Each	6
	CBN-1824YL	18" x 24" x 1/2"	Yellow	Each	6

STAYGRIP CUTTING BOARDS













CUTTING BOARDS & MATS











WHITE RECTANGULAR CUTTING BOARDS

NSF listed

ITEM	DESCRIPTION	UOM	CASE
CBWT-610	6" x 10" x 1/2"	Each	20
CBWT-1218	12" x 18" x 1/2"	Each	6
CBWT-1520	15" x 20" x 1/2"	Each	6
CBWT-1824	18" x 24" x 1/2"	Each	6
CBWT-1830	18" x 30" x 1/2"	Each	6
CBH-1218	12" x 18" x 3/4"	Each	6
CBH-1520	15" x 20" x 3/4"	Each	6
CBH-1824	18" x 24" x 3/4"	Each	6
CBXH-1218	12" x 18" x 1"	Each	4
CBXH-1520	15" x 20" x 1"	Each	4
CBXH-1824	18" x 24" x 1"	Each	4



WHITE GROOVED CUTTING BOARDS

- Higher efficiency in food prep without worrying about juice spillage
- NSF listed

ITEM	DESCRIPTION	UOM	CASE
CBI-1218	12" x 18" x 1/2"	Each	6
CBI-1520	15" x 20" x 1/2"	Each	6
CBI-1824	18" x 24" x 1/2"	Each	6
CBI-1824H	18" x 24" x 3/4"	Each	6



WHITE FLEXIBLE CUTTING MATS

- Mat flexes to easily transport food to cookware or storage
- 1/16" thick polyethylene; will not crack or chip
 - Safe, hygienic, and easy to clean
 - NSF listed

ITEM	DESCRIPTION	UOM	CASE
CBF-1218W	12" x 18", 6 pcs/set	Set	12
CBF-1520W	15" x 20", 6 pcs/set	Set	12
CBF-1824W	18" x 24", 6 pcs/set	Set	12

Keep away from open flame. Do not put hot pans on the surface. Wash with warm water only.

WOODEN CUTTING BOARDS

◆ 1-3/4" thick durable hardwood

ITEM	DESCRIPTION	UOM	CASE
WCB-1218	12" x 18"	Each	2
WCB-1520	15" x 20"	Each	2
WCB-1824	18" x 24"	Each	1
WCB-1830	18" x 30"	Each	1

WOODEN BREAD / CHEESE BOARD

ITEM	DESCRIPTION	UOM	CASE
WCB-125	12" x 5" x 3/4"	Each	24

CUTTING BOARD RACKS

WCB-125





A

CUTTING BOARD RACKS


◆ Fits cutting boards up to 1" thick

ITEM	DESCRIPTION	UOM	CASE	
CB-6L	6 Slots, Chrome Plated	Each	6/12	
CB-6K	6 Slots, Vinyl Coated	Each	10	

ALLERGEN-FREE COLOR CODED CUTTING BOARD

Solve the challenges of maintaining an allergenaware kitchen! Improve customer dining experiences while raising the bar for food safety. Prevent cross-contaminating allergens with Winco's extensive line of Allergen-Free tools. Whether it's gluten, nuts, or more, use this stand-out purple color to designate the allergen-free cutting board.

NSF listed



COLORED CUTTING BOARDS

NSF listed

<u> </u>				
ITEM	DESCRIPTION	COLOR	UOM	CASE
CBBN-1218	12" x 18" x 1/2"	Brown	Each	6
CBBU-1218	12" x 18" x 1/2"	Blue	Each	6
CBGR-1218	12" x 18" x 1/2"	Green	Each	6
CBRD-1218	12" x 18" x 1/2"	Red	Each	6
CBYL-1218	12" x 18" x 1/2"	Yellow	Each	6
CBBN-1520	15" x 20" x 1/2"	Brown	Each	6
CBBU-1520	15" x 20" x 1/2"	Blue	Each	6
CBGR-1520	15" x 20" x 1/2"	Green	Each	6
CBRD-1520	15" x 20" x 1/2"	Red	Each	6
CBYL-1520	15" x 20" x 1/2"	Yellow	Each	6
CBBN-1824	18" x 24" x 1/2"	Brown	Each	6
CBBU-1824	18" x 24" x 1/2"	Blue	Each	6
CBGR-1824	18" x 24" x 1/2"	Green	Each	6
CBRD-1824	18" x 24" x 1/2"	Red	Each	6
CBYL-1824	18" x 24" x 1/2"	Yellow	Each	6





CUTTING BOARD SETS

Assorted colors, 6 colors included in set

NSF listed ♦

ITEM	DESCRIPTION	UOM	CASE	
CBST-1218	12" x 18" x 1/2"	Set	1	_
CBST-1520	15" x 20" x 1/2"	Set	1	
CBST-1824	18" x 24" x 1/2"	Set	1	





COLORED FLEXIBLE CUTTING MATS

- Mat flexes to easily transport food to cookware or storage
- Complies with hygiene recommendations on color coding for food preparation
 - ◆ Made of 1/16" thick polyethylene; will not crack or chip
 - Safe, hygienic and easy to clean
 - NSF listed

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBF-1218	12" x 18", 6 pcs/set	Assorted	Set	12
CBF-1520	15" x 20", 6 pcs/set	Assorted	Set	12
CBF-1824	18" x 24", 6 pcs/set	Assorted	Set	6

Keep away from open flame. Do not put hot pans on the surface. Wash with warm water only.

CUTTING BOARDS



CBPP-1218



COLORED CUTTING BOARDS

STANDARD COLOR CODING SYSTEM			
Raw Meats	Raw Poultry	Vegetable & Fruit	
Bakery & Dairy	Cooked Meats	Seafood	





CBF-SERIES

CUTTING BOARD BRUSHES

ITEM	DESCRIPTION	UOM	CASE
CBR-WT	White	Each	24/96
CBR-BN	Brown	Each	24/96
CBR-BU	Blue	Each	24/96
CBR-GR	Green	Each	24/96
CBR-RD	Red	Each	24/96
CBR-YL	Yellow	Each	24/96

CUTTING BOARD BRUSHES



BATTER DISPENSERS





ALUMINUM PANCAKE DISPENSER

- Durable plunger ensures consistent amounts of batter every time
- Eight portion control settings ranging from 1/2 Oz to 8 Oz
- ◆ 10 gauge high grade aluminum body
- Long lasting parts to prevent clogging and leaking

ITEM	DESCRIPTION	UOM	CASE	
APCD-6	Pancake Dispenser	Each	6	
APCD-6R	Rack for APCD-6	Each	12/48	



PANCAKE TURNER

- ♦ Heat resistant up to 608°
- Nylon blade
- ◆ 18/8 stainless steel handle

ITEM	DESCRIPTION UOM	CASE
STN-3	15-7/16"L x 5-15/16"W x 2-13/16"H Each	24/48



STN-3

CONFECTIONERY FUNNEL

- Use to dispense a smooth flow of fondant, syrup, or prepared creams
- Spring valve feature allows for easy control with single-handed operation
- ◆ Comes with 3 nozzles: 4mm, 5mm, 6mm
- Rack not included

ITEM	DESCRIPTION	UOM	CASE
SF-7	Funnel, S/S	Each	8
SF-7R	Rack for SF-7, S/S	Each	24

UTILITY PAIL



UP-13

UTILITY PAIL

Stainless steel

ITEM	DESCRIPTION	UOM	CASE
UP-13	13 Qt	Each	12